



11/18/2020

Work Order: 20K0845
Project: EID

Aqua Environmental Services
Attn: Larry Hall
89 W. Monarch
Bountiful, UT 84010

Client Service Contact: 801.262.7299

The analyses presented on this report were performed in accordance with the National Environmental Laboratory Accreditation Program (NELAP) unless noted in the comments, flags, or case narrative. If the report is to be used for regulatory compliance, it should be presented in its entirety, and not be altered.



Approved By:

Dave Gayer, Laboratory Director



Certificate of Analysis

Lab Sample No.: 20K0845-01

Name: Aqua Environmental Services	Sample Date: 11/6/2020 7:10 AM
Sample Site: 75 Silver Oak Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC001	Sample Point: LC001
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.105	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0010	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-02

Name: Aqua Environmental Services	Sample Date: 11/5/2020 6:13 AM
Sample Site: 46 Smokey Lane	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC004	Sample Point: LC004
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0871	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0032	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-03

Name: Aqua Environmental Services	Sample Date: 11/5/2020 7:45 AM
Sample Site: 124 Young Oak Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC005	Sample Point: LC005
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.165	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0068	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-04

Name: Aqua Environmental Services	Sample Date: 11/5/2020 8:00 AM
Sample Site: 135 Young Oak Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC006	Sample Point: LC006
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.280	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0096	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-05

Name: Aqua Environmental Services	Sample Date: 11/4/2020 6:35 AM
Sample Site: 160 Young Oak Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC007	Sample Point: LC007
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.161	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0023	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-06

Name: Aqua Environmental Services	Sample Date: 11/4/2020 9:20 AM
Sample Site: 159 Young Oak Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC008	Sample Point: LC008
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.136	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0013	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-07

Name: Aqua Environmental Services	Sample Date: 11/5/2020 6:30 AM
Sample Site: 345 Middle Oak Lane	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC009	Sample Point: LC009
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.139	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	ND	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-08

Name: Aqua Environmental Services	Sample Date: 11/6/2020 5:25 AM
Sample Site: 161 Young Oak Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC010	Sample Point: LC010
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.161	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0013	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-09

Name: Aqua Environmental Services	Sample Date: 11/5/2020 6:30 AM
Sample Site: 45 N Silver Oak Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC011	Sample Point: LC011
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.100	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0005	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-10

Name: Aqua Environmental Services	Sample Date: 11/4/2020 10:00 AM
Sample Site: 5199 E Silver Oak Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC012	Sample Point: LC012
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0505	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0012	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-11

Name: Aqua Environmental Services	Sample Date: 11/3/2020 5:00 PM
Sample Site: 142 N Young Oak Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC013	Sample Point: LC013
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.274	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0059	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-12

Name: Aqua Environmental Services	Sample Date: 11/5/2020 3:00 PM
Sample Site: 330 Middle Oak Lane	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC014	Sample Point: LC014
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.132	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0008	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-13

Name: Aqua Environmental Services	Sample Date: 11/4/2020 9:00 AM
Sample Site: 1121 N Burnt Fork Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC015	Sample Point: LC015
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.106	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0027	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-14

Name: Aqua Environmental Services	Sample Date: 11/6/2020 6:15 AM
Sample Site: 1112 N Burnt Fork Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC016	Sample Point: LC016
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.179	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0016	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-15

Name: Aqua Environmental Services	Sample Date: 11/5/2020 6:00 AM
Sample Site: 1146 N Burnt Fork Road	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC017	Sample Point: LC017
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	1.13	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0157	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-16

Name: Aqua Environmental Services	Sample Date: 11/4/2020 7:45 AM
Sample Site: 1058 N Killyons Lane	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC018	Sample Point: LC018
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	1.40	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0021	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-17

Name: Aqua Environmental Services	Sample Date: 11/10/2020 5:15 AM
Sample Site: 1215 N Killyons Lane	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC019	Sample Point: LC019
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.184	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0039	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-18

Name: Aqua Environmental Services	Sample Date: 11/5/2020 10:30 AM
Sample Site: 1221 N Killyons Lane	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC020	Sample Point: LC020
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0101	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0005	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Lab Sample No.: 20K0845-19

Name: Aqua Environmental Services	Sample Date: 11/4/2020 7:00 AM
Sample Site: 1207 N Killyons Lane	Receipt Date: 11/16/2020 1:30 PM
Comments:	Sampler: Homeowners
Sample Matrix: Drinking Water	Project: EID
PO Number:	System No.: UTAH18143
Source Code: LC021	Sample Point: LC021
	Report to State: Y

Parameter	Sample Result	EPA Max Contaminant Level (MCL)	Minimum Reporting Limit	Units	Analytical Method	Preparation Date/Time	Analysis Date/Time	Flag
Metals								
Copper, Total	0.0973	1.3	0.0010	mg/L	EPA 200.8	11/17/2020	11/17/2020	
Lead, Total	0.0017	0.015	0.0005	mg/L	EPA 200.8	11/17/2020	11/17/2020	



Certificate of Analysis

Report Footnotes

Abbreviations

ND = Not detected at the corresponding Minimum Reporting Limit.

1 mg/L = one milligram per liter or 1 mg/Kg = one milligram per kilogram = 1 part per million.

1 ug/L = one microgram per liter or 1 ug/Kg = one microgram per kilogram = 1 part per billion.

1 ng/L = one nanogram per liter or 1 ng/Kg = one nanogram per kilogram = 1 part per trillion.

Data Comparisons

Values reported in **RED** exceed Primary Drinking Water standards.

Values reported in **BLUE** exceed Secondary Drinking Water standards.

BLANK values in the MCL column indicate no standard.

DRINKING WATER SAMPLES ONLY

CHEMTECH - FORD ANALYTICAL LABORATORY

CHAIN OF CUSTODY

COMPANY: Aqua Environmental Services Inc
 ADDRESS: 89 W Monarch Dr
 CITY/STATE/ZIP: Bountiful UT 84010
 PHONE #: 801-209-6382 FAX:
 CONTACT: Larry Hall PROJECT: EID
 EMAIL: larryh@aquaviron.com

BILLING ADDRESS: SAME
 BILLING CITY/STATE/ZIP:
 PURCHASE ORDER:



TURNAROUND TIME REQUIRED:
 * Expedited turnaround subject to additional charge

State System Number
 UTAH18143

Send to State
 Yes No

TESTS REQUESTED												Bacteria			
												Total Coliform + E. coli (Present/Absent)	Total Coliform + E. coli (Enumerated)	HPC (Plate Count)	R = Routine I = Investigative TR = Trigger Source RP = Repeat
															REPEAT OR = Original Location UP = Upstream DN = Downstream
															LAB FAIL Ref #

Lab Use Only	CLIENT SAMPLE INFORMATION					
20K0845	LOCATION	DATE	TIME	FACILITY ID (source code)	POINT CODE (DBP)	Field: Residual Chlorine
-01	1. 75 Silver Oak Road	11/06/2020	7:10 AM	LC001		
-02	2. 46 Smokey Lane	11/05/2020	6:13 AM	LC004		
-03	3. 124 Young Oak Road	11/05/2020	7:45 AM	LC005		
-04	4. 135 Young Oak Road	11/05/2020	8:00 AM	LC006		
-05	5. 160 Young Oak Road	11/04/2020	6:35 AM	LC007		
-06	6. 159 Young Oak Road	11/04/2020	9:20 AM	LC008		
-07	7. 345 Middle Oak Lane	11/05/2020	6:30 AM	LC009		
-08	8. 161 Young Oak Road	11/06/2020	5:25 AM	LC010		
-09	9. 45 N Silver Oak Road	11/05/2020	6:30 AM	LC011		
-10	10. 5199 E Silver Oak Road	11/04/2020	10:00 AM	LC012		

Sampled by: [print] Resident
 Sampled by: [signature]
 Special Instructions:
 Relinquished by: [signature] Date/Time 11-16-20 13:30
 Relinquished by: [signature] Date/Time
 Relinquished by: [signature] Date/Time

ON ICE **NOT ON ICE** Temp (C°): 20.8
 Samples received outside the EPA recommended temperature range of 0-6 C° may be rejected.
 Received by: [signature] Date/Time 11/16/20 13:30
 Received by: [signature] Date/Time
 Received by: [signature] Date/Time

CHEMTECH-FORD
 9632 South 500 West
 Sandy, UT 84070

801.262.7299 PHONE
 866.792.0093 FAX
 www.ChemtechFord.com

Payment Terms are net 30 days OAC. 1.5% interest charge per month (18% per annum).
 Client agrees to pay collection costs and attorney's fees.

DRINKING WATER SAMPLES ONLY

CHEMTECH - FORD ANALYTICAL LABORATORY

CHAIN OF CUSTODY

COMPANY: Aqua Environmental Services Inc
 ADDRESS: 89 W Monarch Dr
 CITY/STATE/ZIP: Bountiful UT 84010
 PHONE #: 801-209-6382 FAX: _____
 CONTACT: Larry Hall PROJECT: EID
 EMAIL: larryh@aquaenviron.com

BILLING ADDRESS: SAME
 BILLING CITY/STATE/ZIP: _____
 PURCHASE ORDER: _____



TURNAROUND TIME REQUIRED: _____
 * Expedited turnaround subject to additional charge

State System Number
UTAH18143

Send to State
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

TESTS REQUESTED												Bacteria			LAB FAIL Ref #			
												R = Routine I = Investigative TR = Trigger Source RP = Repeat						
Pb & Cu													Total Coliform + E. coli (Present/Absent)	Total Coliform + E. coli (Enumerated)	HPC (Plate Count)	REPEAT OR = Original Location UP = Upstream DN = Downstream		

Lab Use Only	CLIENT SAMPLE INFORMATION						
	LOCATION	DATE	TIME	FACILITY ID (source code)	POINT CODE (DBP)	Field: Residual Chlorine	
20X0845	1. 142 N Young Oak Road	11/03/2020	5:00 PM	LC013			
-11	2. 330 Middle Oak Lane	11/05/2020	3:00 PM	LC014			
-12	3. 1121 N Burnt Fork Road	11/04/2020	9:00 AM	LC015			
-13	4. 1112 N Burnt Fork Road	11/06/2020	6:15 AM	LC016			
-14	5. 1146 N Burnt Fork Road	11/05/2020	6:00 AM	LC017			
-15	6. 1058 N Killyons Lane	11/04/2020	7:45 AM	LC018			
-16	7. 1215 N Killyons Lane	11/10/2020	5:15 AM	LC019			
-17	8. 1221 N Killyons Lane	11/05/2020	10:30 AM	LC020			
-18	9. 1207 N Killyons Lane	11/04/2020	7:00 AM	LC021			
-19	10.						

Sampled by: [print] Resident Sampled by: [signature] _____
 ON ICE NOT ON ICE Temp (C°): 20.8
 Special Instructions: Samples received outside the EPA recommended temperature range of 0-6 C° may be rejected.
 Relinquished by: [signature] _____ Date/Time 11-16-20 13:30 Received by: [signature] _____ Date/Time 11/16/20 13:30
 Relinquished by: [signature] _____ Date/Time _____ Received by: [signature] _____ Date/Time _____
 Relinquished by: [signature] _____ Date/Time _____ Received by: [signature] _____ Date/Time _____

CHEMTECH-FORD
 9632 South 500 West
 Sandy, UT 84070

801.262.7299 PHONE
 866.792.0093 FAX
www.ChemtechFord.com

Payment Terms are net 30 days OAC. 1.5% interest charge per month (18% per annum).
 Client agrees to pay collection costs and attorney's fees.

Work Order # 20K0845

CHEMTECH FORD LABORATORIES

Sample Receipt



CHEMTECH-FORD LABORATORIES

Delivery Method:

- UPS
- USPS
- FedEx
- Chemtech Courier
- Walk-in
- Customer Courier

Receiving Temperature 20.8°C

Sample #	Container	Chemtech Lot # or Preservative	Number of Subsamples Preserved by Client/Third Party	Preserved in Receiving/Laboratory	Filtered in Field by Client	Misc Volume (oz/mL)	Comments
01-19	AR				X		

Sample Condition (check if yes)

- Custody Seals
- Containers Intact
- COC can be matched to bottles
- Received on Ice
- Correct Containers(s)
- Sufficient Sample Volume
- Headspace Present (VOC)
- Temperature Blank
- Received within Holding Time

Plastic Containers

- A- Plastic Unpreserved
- B- Miscellaneous Plastic
- C- Cyanide Qt (NaOH)
- E- Coliform/Ecoli/HPC
- F- Sulfide Qt (Zn Acetate)
- L- Mercury 1631
- M- Metals Pint (HNO3)
- N- Nutrient Pint (H2SO4)
- R- Radiological (HNO3)
- S- Sludge Cups/Tubs
- Q- Plastic Bag

Glass Containers

- D- 625 (Na2S2O3)
- G- Glass Unpreserved
- H- HAAs (NH4Cl)
- J- 508/515/525 (Na2SO3)
- K- 515.3 Herbicides
- O- Oil & Grease (HCl)
- P- Phenols (H2SO4)
- T- TOC/TOX (H3PO4)
- U- 531 (MCAA, Na2S2O3)
- V- 524/THMs (Ascorbic Acid)
- W- 8260 VOC (1:1 HCl)
- X- Vial Unpreserved
- Y- 624/504 (Na2S2O3)
- Z- Miscellaneous Glass